madimack



CORDLESS ROBOTIC POOL CLEANER



8 hours

Welcome to a new era of technology.

Madimack's range of products is designed to revolutionise the way you experience the world. With a steadfast focus on sustainability, innovation and enhanced user-features, we are proud to offer cutting-edge solutions that exceed your expectations.

At Madimack, we believe in a future where technology coexists harmoniously with the environment. That's why sustainability is at the core of everything we do. Our products are meticulously crafted to minimise their ecological footprint.

We are thrilled you chose Madimack to partner with. Together we will shape a more sustainable future.

Alex Welsh

Madimack Global CEO



Madimack's enhanced inverter technology, InverMAC, is engineered to support inverter motor operation. The inclusion of product specific proprietary technology allows for precise control of motor speed and energy usage across our range. InverMAC technology supports Madimack's overall position of unrivalled innovation, sustainability and performance. By incorporating inverter motor technology in creative and unique ways, Madimack is leading the way in the development of energy-efficient products.

INVERTER TECHNOLOGY



8 Hours of Power

GT Freedom's DC brushless motor coupled with InverMAC enhanced inverter technology



Advanced Lithium-Ion Battery

Advanced battery technology for enhance performance



Active Panel Control

Flexibility to set and manage run times, cycle times and operational display on the unit





Ultimate pool cleaning solution free from cords and cables, offering unrestricted movement and hassle-free pool cleaning.





INTELLIGENT NAVIGATION DOUBLE COVERAGE EFFICIENCY



Engineered Infrared Guidance System

Delivering intelligent navigation in relation to your pool's environment.



Dual Drive Navigation

Increased power and advanced mobility to overcome obstacles



TECHNICAL PARAMETER



| Model | i30 | i45 | i60 | i80 |
|---|------------------------------------|---------------|----------------|--------------------|
| PERFORMANCE CONDITION: Floor mo | de | | | |
| Endurance time* | 3h | 4.5h | 6h | 8h |
| PERFORMANCE CONDITION*: Floor/wall/waterline mode | | | | |
| Endurance time | 2h | 2.5h | 3.5h | 4.5h |
| Charging time | 2h | 3h | 4h | 5h |
| Battery capacity | 5.2Ah (131wh) | 7.8Ah (196wh) | 10.4Ah (262wh) | 14Ah (352wh) |
| Optimum pool temperature | 0~35°C | | | |
| Cleaning mode | Floor - Floor/Wall/Waterline | | | |
| Cleaning duration options | 0.5h / 1h / 2h / Max run per model | | | |
| Cycle setting | Once cycle / 24hrs / 48hr / 72hr | | | |
| 3D S Path with InverMac | YES | | | |
| App application | YES | | | |
| Filter capacity | 3.2L | | | |
| Filtration accuracy | 180µm(80mesh) | | | |
| Pump flow rate | 300 – 150 (L/min) | | | 360L - 160 (L/min) |
| Running power | 110 – 30W | | | |
| Moving speed | 12m/min | | | |
| Motor number | 3 | | | |
| Charger input | 90-265VAC ~ 50/60Hz | | | |
| Running voltage/current | 25.2V/1.2A | | | |
| Charger power | 72.5W | | | |
| Robot NW | 11.5kg | 11.5kg | 12kg | 12kg |
| Robot GW Shipping | 16.5kg | 16.5kg | 17kg | 17kg |
| Robot dimension (L*W*H) | 495*395*265 mm | | | |
| Robot packaging dimension (L*W*H) | 580*448*330 mm | | | |

^{*} Figures based on 2 hours cleaning on floor-mode.

madi**mack**

